



# NON-ACID RESTROOM CLEANER

Apply this product with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surfaces must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. For sprayer applications, use a coarse pump or trigger sprayer. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. Do not breathe spray. **NOTE:** With spray applications, cover or remove all food products. Prepare a fresh solution at least daily or when use solution becomes visibly dirty. For heavily soiled areas, a preliminary cleaning is required.

**Effective against the following pathogens at recommend contact time on product label directions.**

**Bacteria:**

- Staphylococcus aureus
- Salmonella enterica
- Staphylococcus aureus (Methicillin resistant)
- Listeria monocytogenes
- Enterobacter faecalis
- Enterobacter aerogenes
- Klebsiella pneumoniae
- Salmonella schottmuelleri
- Shigella dysenteriae
- Escherichia coli
- Campylobacter jejuni
- Corynebacterium ammoniagenes
- Pseudomonas aeruginosa

Salmonella typhi

Streptococcus salivarius

**Viruses:**

- Human Coronavirus
- Hepatitis B Virus (HBV)
- Hepatitis C Virus (HCV)
- Herpes Simplex Type 1
- HIV-1 (AIDS Virus)
- Avian Influenza A H5N1 virus
- Avian Influenza A H9N2/Turkey/Wisconsin virus
- Feline Calicivirus (surrogate for Norwalk/Norvirus)Influenza A2/Japan Virus

**Fungi:**

- Trichophyton mentagrophytes
- Aspergillus niger
- (Duck) Hepatitis B Virus(HBV)
- Bovine Viral Diarrhea Virus BVDV

**Product Specifications:**

pH (concentrate).....	10.0 - 12.0
Appearance .....	Pink Liquid
Fragrance .....	Fresh Floral
Solubility in Water .....	Complete
Flash Point .....	>200°F

**ACTIVE INGREDIENTS:**

Alkyl (C <sub>14</sub> 60%, C <sub>16</sub> 30%, C <sub>12</sub> 5%, C <sub>18</sub> 5%)	
dimethyl benzyl ammonium chlorides .....	2.25%
Alkyl (C <sub>12</sub> 68%, C <sub>14</sub> 32%) dimethyl ethylbenzyl ammonium chlorides .....	2.25%
<b>INERT INGREDIENTS .....</b>	<b>95.50%</b>
<b>TOTAL .....</b>	<b>100.00%</b>

**EPA Registered:**

EPA Reg. No. 10324-93-1124

EPA Est. No. 62511-KS-1

**End-Use Rating**



0	1	2	3	4
Minimal	Slight	Moderate	Serious	Severe
Minimo	Minimo	Moderar	Grave	Drastico



## DIRECTIONS FOR USE:

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

This product is not for use on Medical device surfaces.

### DISINFECTION

**Hospitals, Dental Offices, Nursing Homes and other Health Care**

**Institutions:** For disinfecting floors, walls, countertops, bathing areas, lavatories, tables, chairs, garbage pails and other hard non-porous surfaces.

**Disinfection/Fungicidal/\*Virucidal Directions:** Use at a rate of 2 ounces per gallon (or equivalent use dilution) (703 ppm active quat). Allow surface to remain wet for 10 minutes. Apply use solution to hard inanimate, non-porous surfaces thoroughly wetting surfaces as recommended and required, with a cloth, mop, sponge or sprayer. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications use a coarse spray device. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. Do not breathe spray.

**NON-ACID TOILET BOWL AND URINAL DISINFECTION/CLEANER**

**DIRECTIONS:** Remove gross filth prior to disinfection. **FROM USE SOLUTION:** Empty toilet bowl or urinal and apply 2 ounces per gallon of water (16 milliliters per liter) use solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly and allow solution to stand for 10 minutes and flush. For sprayer applications, use a coarse spray device.

## FIRST AID:

Have the product container or label with you when calling a poison control center or doctor or going for treatment. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

## STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Store in original container in areas inaccessible to small children. Do not store on side. Avoid creasing or impacting of sidewalls. Do not reuse empty container. Wrap and discard in trash (or recycle).

Distributed by:

© FRANKLIN Cleaning Technology® 2009

PO Box 214 Great Bend, KS 67530 • F5924TDS-1009

**\*KILLS HIV, HCV and HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care setting or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with body fluids and in which fluids surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus and Hepatitis C virus (HCV). **"SPECIAL INSTRUCTION FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV and HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS."**

**Personal Protection:** Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, and eye coverings.

**Cleaning Procedures:** Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

**Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**Contact Time:** Leave surface wet for two minutes for HIV and ten minutes for HBV and HCV with 2 ounces per gallon (or equivalent use dilution) (703 ppm active quat) use solution. This 2 minute contact time will not control other common types of viruses and bacteria.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### DANGER. KEEP OUT OF REACH OF CHILDREN.

**Corrosive.** Causes irreversible eye damage. Harmful if swallowed or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

## Transportation Information:

**U.S. DOT - Proper Shipping Name:** Consumer Commodity ORM-D.  
**Marine Pollutant:** No

**MSDS Retrieval  
Obtención de HDSM**

**www.franklintechnology.com  
800-848-4901**