

Material Safety Data Sheet

Complies with OSHA's Hazard Communication Standard 29 CFR 1910.1200

NFPA Fire: 1
Health: 2
Reactivity: 0

SECTION I - IDENTITY AND MANUFACTURER'S INFORMATION

Company Name, Address: **Franklin Cleaning Technology - P.O. Box 214 - Great Bend, KS 67530**

Product Name: First Class Furniture Polish
Chemical Family: Pressurized emulsion containing silicone

Product Number: F8010
Package Size: 15.5 oz

EPA Reg. No: N/A
Preparer: Brad Honas

Emergency Telephone No. (620) 792-1711
Date: 11/26/08

International:

SECTION II - HAZARDOUS INGREDIENTS IDENTITY INFORMATION

Hazardous Components	CAS#	OSHA TWA	ACGIH TWA	Percent
*Water	7732-18-5	NE	NE	>85
Isoparaffinic hydrocarbon	64742-48-9	1200mg/m	1200mg/m	<5
*Polydimethylsiloxane	63148-62-9	NE	NE	<2
Isobutane	75-28-5	800 ppm	800 ppm	>4
*Propane	74-98-6	1000 ppm	1000 ppm	<1

SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS

No Physical Hazards	<input type="checkbox"/>	Flammable Gas	<input type="checkbox"/>	Flammable Liquid/Solid	<input type="checkbox"/>	Water Reactive	<input type="checkbox"/>
Combustible	<input type="checkbox"/>	Flammable Aerosol	<input type="checkbox"/>	Pyrophoric	<input type="checkbox"/>	Oxidizer	<input type="checkbox"/>
Compressed Gas	<input checked="" type="checkbox"/>	Explosive	<input type="checkbox"/>	Unstable - Reactive:	<input type="checkbox"/>	Organic Peroxide	<input type="checkbox"/>

Boiling Point, °F: Compressed Gas Solubility in Water: Dispersible Evaporation Rate: <1
Vapor Pressure: 46 psig Specific Gravity (water =1): 0.9 pH: 5.9
Vapor Density: N/D %Volatiles by Weight: 96%

Appearance and Odor: Aerosol spray with characteristic odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method): >200F (TOC) Flammable Limits: LEL: N/D UEL: N/D
Extinguishing Media: CO2, dry chemical, foam, ABC extinguisher, water

Special Fire Fighting Procedures: Keep aerosols cooled with water to prevent bursting.

Unusual Fire and Explosion Hazards:

Contents under pressure. Temperatures in excess of 120 F may cause bursting. Ruptured cans will contribute combustible materials in the event of fire.

SECTION V - REACTIVITY DATA

Stability: Unstable
Stable Conditions to Avoid: N/A

Incompatibility: Do not mix with any other material.
(Materials to Avoid)

Hazardous Decomposition Products or Byproducts: With extreme heat or fire, releases typical hydrocarbon decomposition by-products.

Hazardous Polymerization: May Occur: Will Not Occur:
Conditions to Avoid: N/A

Comments:

*Added to comply with the Pennsylvania Worker Right To Know Act of 1984 & the New Jersey Worker/Community Right To Know Act of 1983.

Volatile Organic Compounds (VOC's)=9.5%

